

Kahler



wooden table

Special advantage

- Stainless steel cover
- Aluminium joists

H029 lce-blue

H014 Walnut

H006 Mahogany

H010

H033 Spruce

H026 Oxide red

H041 Phantom

H044 Chalk-white

Colours displayed are non-bindin





- Solid wood profile, multiple coats of varnish
- Aluminium joists, advantage: especially good structural stability and durability at a low dead weight
- Tables available with:
 - Aluminium damming-up tray
 - Ortmann capillary irrigation
 - High/low water mat
- 4 Stainless steel covers, elegant weather and knocking protection
 Cover on table legs standard
- Solid-wood table legs with unscrewable footplates (70 mm) alternatively with 4 solid-rubber castors Ø 75 mm and 2 locking brakes
- 6 Additionally: Stainless steel cover for side sections Order no.: G5 0548 000



| mobile BHOR Type/Order no.: | External dimensions L x W x H mm | Internal dimensions L x W mm | stationary BHOS Type/Order no.: |
|---|-------------------------------------|---------------------------------|---|
| | | | |
| Type BH0R 125 G7 1444 B0L 075 | 1,360 x 1,360 x 600 | 1,250 x 1,250 | Type BH0S 125 G7 1444 B00 000 |
| Type BH0R 200 G7 1442 B0L 075 | 2,110 x 1,110 x 600 | 2,000 x 1,000 | Type BH0S 200 G7 1442 B00 000 |
| Type BHOR 250 G7 1445 BOL 075 | 2,610 x 1,360 x 600 | 2,500 x 1,250 | Type BH0S 250 G7 1445 B00 000 |
| Type BH0R 300 G7 1447 B0L 075 | 3,110 x 1,610 x 600 | 3,000 x 1,500 | Type BH0S 300 G7 1447 B00 000 |







Also available with Ortmann capillary irrigation

The Ortmann capillary irrigation system makes it unnecessary to water the plants every day and ensures a reliable supply of water nevertheless:

Wicks suck in the water out of a water tank integrated into the table and dispenses it to the plants by way of a special mat and protective foil on which they are standing – in the right quantity and entirely without wiring, hoses and controls.

The quantity of water in the tank can be checked by means of a water-level indicator in the table and it can be replenished via a filler neck. Excess rainwater can flow off through the overflow.

The special advantage of semi-automatic capillary irrigation: No need for water pipes and connections!

8 Type BH sales table with aluminium tray insert

| mobile BHWR Type/Order no.: | External dimensions L x W x H mm | Internal dimensions L x W mm | stationary BHWS Type/Order no.: |
|---|-------------------------------------|---------------------------------|---|
| 1/6) | | | |
| Type BHWR 125 G7 1434 BWL 075 | 1,360 x 1,360 x 600 | 1,250 x 1,250 | Type BHWS 125 G7 1434 BWO 000 |
| Type BHWR 200 G7 1432 BWL 075 | 2,110 x 1,110 x 600 | 2,000 x 1,000 | Type BHWS 200 G7 1432 BW0 000 |
| Type BHWR 250 G7 1435 BWL 075 | 2,610 x 1,360 x 600 | 2,500 x 1,250 | Type BHWS 250 G7 1435 BW0 000 |


9 Type BH sales table with high/low water-retention mat

| mobile BHER Type/Order no.: | External dimensions L x W x H mm | Internal dimensions L x W mm | stationary BHES Type/Order no.: |
|---|-------------------------------------|---------------------------------|---|
| Type BHER 200 G7 1462.1 BEL 075 | 2,110 x 1,110 x 600 | 2,000 x 1,000 | Type BHES 200 G7 1462.1 BEO 000 |
| Type BHER 250 G7 1465.2 BEL 075 | 2,610 x 1,360 x 600 | 2,500 x 1,250 | Type BHES 250 G7 1465.2 BEO 000 |
| Type BHER 300 G7 1467.3 BEL 075 | 3,110 x 1,610 x 600 | 3,000 x 1,500 | Type BHES 300 G7 1467.3 BEO 000 |

Kahler

Wooden bed

Beds available with aluminium damming-up tray, Ortmann capillary irrigation, high/low water mat, or open without insert







Anti-wind plant holders

- made from aluminium in various heights
- can be shifted infinitely on a rail
- can be used in all tables and beds
- can also simply be set up on the floor and used independently of tables and beds

Different versions on request









Germany

Kahler GmbH Werkring 6 D-89290 Buch

Tel. +49 (0)7343 9227-0 Fax +49 (0)7343 9227-79 E-mail info@kahler.de Web www.kahler.de

Switzerland

HERS GmbH Industriestrasse 17 CH-4415 Lausen

Tel. +41 (0)61 90699-99 E-mail info@hers.ch Web www.hers.ch