

Made in
Germany

Kahler



For trays,
tables and
displays




marking systems

Labelling systems, hot-dip galvanised steel




Kahler labelling systems can be used indoors and outdoors and give your customer a clear view of prices and offers. All the labelling systems are made from hot-dip galvanised sheet steel, excellently finished and weather-resistant. The labels/signs are easy to exchange and – if installed properly – they are wind-proof.


Material: hot-dip galvanised sheet steel




Stand, single, for rod
GL 1500 000 850
 Order no.: GL 1500 000 814




Stand, double, for rod
GL 1500 000 850
 Order no.: GL 1500 081 4/1




Labelling rods made from VA steel to be driven into the earth and for sticking on labels 30 mm wide, 5 mm thick
 Length: 500 mm
 Order no.: G5 1500 V00 050



Ground spikes made from T-iron for a fixture with locking clips
 Length: 1250 mm with welded-on locking rail and cross rail at a height of 250 mm
 Order no.: GL 1500 920 125



T-shaped ground spike for fixture with locking clips
Ground spikes made from T-iron for a fixture with locking clips
 Length: 1,000 mm with welded on locking rail
 Order no.: GL 1500 920 100



Rods for fixtures with locking clips


Length: 400 mm
 Order no.: GL 1500 850 040

Length: 600 mm
 Order no.: GL 1500 850 060

Length: 800 mm
 Order no.: GL 1500 850 080

Length: 1,000 mm
 Order no.: GL 1500 850 100

other lengths on request



Fixture for inserting into plastic boxes


for pictures, 210x140 mm
 Order no.: GL 1500 000 816

for pictures, DIN A5 215x150 mm
 Order no.: GL 1500 008 116

for laminate, 218x155 mm
 Order no.: GL 1500 081 16L

for pictures, DIN A4 290x210 mm
 Order no.: GL 1500 008 216

for laminate, 305x217 mm
 Order no.: GL 1500 082 16L



Fixture with locking clip for rod with Order no.: GL 1500 850 and Order no.: GL 1500 920

for pictures, 210x140 mm
 Order no.: GL 1500 000 810

for pictures, DIN A5 215x150 mm
 Order no.: GL 1500 008 100

for laminates, 218x155 mm
 Order no.: GL 1500 081 00L

for pictures, DIN A4 297x210 mm
 Order no.: GL 1500 000 820

for laminates, 305x217 mm
 Order no.: GL 1500 082 00L

Fixture with clip-on clamp, 3 mm


for pictures, 210x100 mm
 Order no.: GL 1500 080 2/3

for pictures, 210x140 mm
 Order no.: GL 1500 081 2/3

for pictures, DIN A5 215x150 mm
 Order no.: GL 1500 812 0/3

for pictures, DIN A4 297x210 mm
 Order no.: GL 1500 082 2/3

(with clip-on clamp, 5, 10, 15, 20 mm on request)



Fixture with locking clip on both sides for rod with Order no.: GL 1500 850 and Order no.: GL 1500 920

for pictures, 210x140 mm
 Order no.: GL 1500 081 3/0

for laminates 218x155 mm
 Order no.: GL 1508 130 / 0L

for pictures, DIN A4 297x210 mm
 Order no.: GL 1500 082 3/0

Fixture with U-hook on both sides for hanging up, and with locking clip for rod with Order no.: GL 1500 850 and Order no.: GL 1500 920

for pictures, 210x140 mm
 Order no.: GL 1500 813 /20

for pictures, DIN A5 215x150 mm
 Order no.: GL 1508 130 /20

for pictures, DIN A4 297x210 mm
 Order no.: GL 1500 823 /20

Aluminium advertising panel



The aluminium advertising panel
 All panels with slide-in edge for DIN A5

Advertising panel 2.000x216x1.5 mm
 Order no.: G8 0454 000

Advertising panel 2,500x216x1.5 mm
 Order no.: G8 0455 000

T-support for aluminium advertising panel
 Stand length: 800 mm
 Stand height: 700 mm
 Order no.: G8 0456 000



1 The height of the superstructure made from aluminium square pipe with 2 longitudinal struts for hanging advertising signs and panels over them is adjustable. Thickness of the longitudinal struts is 15 mm, height 1,200 mm.

Height can be adjusted from 600 mm to 1,000 mm. Height adjustment in the 200 mm grid above row of holes.

For table length 2,000 mm

Order no.: G8 0464 001

For table length 2,500 mm

Order no.: G8 0464 002

For table length 3,000 mm

Order no.: G8 0464 003

2 Fixture to be screwed onto the narrow side of the table, with fused plug and chain (2 required per table)

Order no.: G4 0491 S00

3 Half-round aluminium advertising panel for DIN A5, landscape format, running metre.

Order no.: G8 0453 001

Half-round aluminium advertising panel for DIN A5, portrait format and DIN A4 landscape format, running metre.

Order no.: G8 0453 002

Half-round aluminium advertising panel for DIN A4, portrait format, running metre.

Order no.: G8 0453 004

4 Aluminium sign fixture with slide-in edge, fits signs which are 1,090x270 mm, to be attached to the superstructure.

Order no.: G8 0452 000

Other sizes on request.

Flag-holder made from round aluminium tubing for flags.

Total length 1,700 mm from top edge of table. Fits 1,200x400 mm flags. The flags are inserted by means of elastic or a cable tie.

Order no.: G8 0451 000

Fixture to be screwed onto the narrow side of the table, with fused plug and chain, (1 required per table).

Order no.: G4 0491 S00



The BS superstructure made from aluminium square pipe, with 2 longitudinal struts for hanging over advertising signs and rails. Thickness of the longitudinal struts is 15 mm, height 1,900 mm Height can be adjusted from 1,230 mm to 1,900 mm. Height adjustment in the 200 mm grid above row of holes.

This superstructure on T-shaped feet can be adjusted to any table or bed.

For a 2,000 mm table or bed length

Order no.: G8 0465 001

For a 2,500 mm table or bed length

Order no.: G8 0465 002

For a 3,000 mm table or bed length

Order no.: G8 0465 003





Advertising panel

Half-round aluminium advertising panel for DIN A5, landscape format. Incl. holders for hooking in. Standardised fixtures to hold table sections up to 10 mm in thickness, running metre.

Order no.: G8 0453 001

Set of black plastic caps, consisting of 2 caps (1 for the left, 1 for the right)

Order no.: G6 0453 0A1



Germany

Kahler GmbH
Werkring 6
D-89290 Buch

Tel. +49 (0)7343 9227-0
Fax +49 (0)7343 9227-79
E-mail info@kahler.de
Web www.kahler.de

Switzerland

HERS GmbH
Industriestrasse 17
CH-4415 Lausen

Tel. +41 (0)61 90699-99
E-mail info@hers.ch
Web www.hers.ch