

Kahler

The brilliant all-rounder for indoors and outside




vario

























Page 2 Page 3

Three functions – one device ...even if it's already loaded!



With one flick of the wrist you transform your transport trolley...



...into a stair-type sales module and display...



...or into a sales and working table.







Technical data:

- base frame made of hot-dip galvanised steel or plastic and CDC coated steel with 4 castors, 125 mm Ø, made of grey rubber and 2 holding brakes
- 3 angular frames for tiers made of aluminium
- 3 irrigation trays made of black plastics with water drain and plug
- further inserts and accessories are available (see page 7)

When using the vario as a stair-type sales module, you may choose between different grid positions.

The vario can be equipped with an attractive, height-adjusting awning with an adjustable angle of inclination.

vario-c fully equipped



plastic-coated with an additional CDC-coating



hot-dip galvanised steel

vario-c fully equipped

consisting of

- base frame made of steel with
- 4 bolt-hole castors 125 mm Ø and 2 holding brakes
- 3 tier frames made of aluminium
- 1 3 slanted shelf inserts with wire mesh made of electrogalvanised steel
- 3 irrigation trays 1250 x 550 mm made of black plastic with drain and plug, material strength 3 mm
- 3 2-ply irrigation mats 1250 x 550 mm, synthetic, backed with woven fabric
- 4 1 awning in Dralon awning cloth, including awning frame and mounting bracket made of electrogalvanised steel

L x W x H = 1410 x 570 x 1430 mm









,	vario-c fully equipped							
	Execution		with awning black Dralon Order No.	with awning apple green Dralon Order No.	with awning red/white Dralon Order No.	with awning green/white Dralon Order No.	with awning yellow/white Dralor Order No.	
	hot-dip galvanised steel, tiers in natural shade		101392	103364	103365	103366	103367	
	plastic and CDC coated steel, RAL 9005 black matt, tiers are anodised		102502	103368	103369	103370	103371	

Page 4 Page 5

vario as a modular system – combine yourself!

height-adjustable height-adjustable mm 07991

plastic-coated with an additional CDC-coating



hot-dip galvanised steel

vario is available in different sizes

We recommend:

vario-euro when space conditions are very tightvario-c for potted plants and fruits & vegetables

- vario-bs for nurseries

vario basic equipment

each consisting of

- base frame made of steel with
- 4 castors 125 mm Ø with plate and 2 holding brakes
- 3 tier frames made of aluminium
- without inserts / without accessories

vario basic equipment – without inserts

Dimensions		vario-euro	vario-c	vario-bs
transport-trolley (folded)	L x W x H =	1420 x 445 x 1340 mm	1410 x 570 x 1430 mm	1420 x 640 x 1610 mm
		1420 x 980 x 1275 mm 1420 x 1200 x 1190 mm 1420 x 1460 x 990 mm not possible not possible	1410 x 915 x 1400 mm 1410 x 1180 x 1350 mm 1410 x 1415 x 1250 mm 1410 x 1625 x 1090 mm 1410 x 1690 x 970 mm	1420 x 1015 x 1585 mm 1420 x 1335 x 1510 mm 1420 x 1615 x 1395 mm 1420 x 1850 x 1210 mm 1420 x 1940 x 1075 mm
sales and working tal (once the table is unf		1420 x 1520 x 805 mm	1410 x 1715 x 850 mm	1420 x 1960 x 945 mm
Execution		Order No.	Order No.	Order No.
hot-dip galvanised steel, tiers in natu	ral shade	103372	103373	103374
plastic and CDC coated steel, RAL 900 tiers are anodised	5 black matt,	102011	102012	102016

Accessories for vario in a modular system

Accessories opt	ional	vario-euro	vario-c	vario-bs	
	Irrigation tray, made from black plastic, thick walls, material thickness 5 mm, with drain with a 34" thread and plug	1260 x 420 x 45 mm Order No. 101801	1250 x 550 x 45 mm Order No. 101798	1260 x 620 x 45 mm Order No. 101800	
	2-ply irrigation mat, synthetic, backed with woven fabric	1260 x 420 mm Order No. 102282	1250 x 550 mm Order No. 102303	1260 x 620 mm Order No. 102283	
	Slanted shelf insert with wire mesh made from electrogalvanised steel (can be operated with one flick of the wrist – even if it's loaded)	1260 x 420 mm Order No. 101470	1250 x 550 mm Order No.101479	1260 x 620 mm Order No. 101484	
588	Tier for buckets with 4 rings Ø 250 mm, made of hot-dip galvanised steel	1260 x 420 mm Order No. 101468	1250 x 550 mm Order No. 101477	1260 x 620 mm Order No. 101481	
	1 set = 10 pieces zinc buckets with wooden handle height 260 mm, Ø 280/200 mm	Order No. 102483			
		suiting to all vario models and tiered-stairs-c			
	vario awning frame complete incl. mounting bracket made of electrogalvanised steel (without awning cloth)	Order No. 103379			
	vario awning cloth black Dralon	Order No. 101096			
	vario awning cloth apple green Dralon	Order No. 103375			
	vario awning cloth red/white Dralon	Order No. 103376			
	vario awning cloth yellow/white Dralon	Order No. 103377			
	vario awning cloth green/white Dralon	Order No. 103378			
	vario LED lighting to be mounted at the awning frame (for interior use only)	Order No. 103380			

Page 6 Page 7



vario-city consisting of:

- base frame made of steel with 4 bolt-hole castors 125 mm Ø and 2 holding brakes
- 3 tier frames made of anodised aluminium
- 3 slanted shelf inserts with wire mesh made of electrogalvanised steel
- 1 awning with awning cloth in apple green including awning frame and mounting bracket made of electrogalvanised steel (other colours on request)

L x W x H = 1010 x 570 x 1430 mm

Execution	with awning apple green Dralon Order No.	without awning Order No.
hot-dip galvanised steel	103381	101666
plastic and CDC coated steel RAL 9005 black matt	103382	102015














Tiered-stairs-c

- Base frame made of hot-dip galvanised steel incl. 4 castors 125 mm Ø with plate and 2 holding brakes
- angular frames for tiers made of aluminium in natural shade
- irrigation trays 1250 x 550 mm made of black plastic, thick walls, material strength 5 mm with drain, ¾" thread and plug.



Tiered-stairs-c can be equipped with an attracting awning, too – please have a look at page 7 vario accessories.



Tiered-stairs-c with 4 shelves 4 tier frames, tier distance 480 mm 4 irrigation trays L x W x H = 1410 x 570 x 1700 mm Order No. 101394



Tiered-stairs-c with 5 shelves

5 removable tier frames, tier distance 360 mm 5 irrigation trays L x W x H = 1410 x 570 x 1700 mm Order No. 101395

Removable tiers — only available with tiered-stairs-c with 5 shelves

Germany

Kahler GmbH Werkring 6 D-89290 Buch

Tel. +49 (0)7343 9227-0 Fax +49 (0)7343 9227-79 E-mail info@kahler.de Web www.kahler.de

Switzerland

HERS GmbH Industriestrasse 17 CH-4415 Lausen

Tel. +41 (0)61 90699-99 E-mail info@hers.ch Web www.hers.ch